

INSTA-CHAR AQUEOUS- poison treatment adsorbent suspension

VISTAPHARM INC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

INSTA-CHAR AQUEOUS

Active Ingredient (per 240 mL)

Activated Charcoal, USP 50g

Purpose

Poison Adsorbent

Uses

- For emergency use to adsorb swallowed poisons

Warnings

Do not use

- until after the patient has vomited, unless directed by a health professional
- in persons that are not fully conscious
- unless directed by a health professional, if turpentine, corrosives, such as alkalies (lye) and strong acids, or petroleum distillates, such as kerosene, gasoline, paint thinner, cleaning fluid or furniture polish, have been ingested

If Pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Directions

- **Shake vigorously to suspend charcoal before use.**
- Remove foil seal underneath cap and replace cap.
- Cut off delivery tip of bottle 3/4 inch from end for drinking.
- Administer entire 240 mL if possible.
- Repeat dose immediately with Insta-Char Aqueous base product if possible.
- If previous attempts to contact a poison control center, emergency medical facility, or health professional were unsuccessful, continue trying.
- Keep patient active and moving.
- Save the container of poison.

Age	Dose
Adult and Children 12 years and over and weighing at least 32 kg (71 lbs.)	50-100g (1-2 adult bottles) or 1-2g per kg of body weight. If a second bottle is recommended, the additional bottle should be Insta-Char in an Aqueous Base unless otherwise directed by a physician.

Inactive Ingredients

citric acid, glycerin, propylene glycol, purified water, sucrose

Questions?

888-655-1505

Insta-Char Aqueous 240 mL

Insta-Char Aqueous Poison Adsorbent 240 mL

Distributed by:

Vistapharm Inc.

Largo, FL 33771

Do not use if imprinted Protective Seal under the cap is broken or missing.

DRUG FACTS

Active Ingredient (per 240 mL) **Purpose**
Activated Charcoal, USP 50g...Poison Adsorbent

Uses
■ For emergency use to adsorb swallowed poisons

Warnings
Do not use ■ until after the patient has vomited, unless directed by a health professional ■ in persons that are not fully conscious ■ unless directed by a health professional, if turpentine, corrosives, such as alkalies (lye) and strong acids, or petroleum distillates, such as kerosene, gasoline, paint thinner, cleaning fluid or furniture polish, have been ingested.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

NDC 66689-201-08

VistaPharm

KERR INSTA-CHAR®

IN AN AQUEOUS BASE

A unit dose ready to use
activated charcoal suspension
poison adsorbent

50 Grams Activated Charcoal
in 240 mL (8 fl oz)

SHAKE VIGOROUSLY BEFORE USE

If possible call a Poison Control Center, emergency medical facility, or health professional for help before using this product. If help cannot be reached quickly, follow directions on this label. Read the warnings and directions as soon as you buy this product. Insert emergency phone number(s) in space provided below on the label.

Emergency Phone No.: No Varnish Area

DRUG FACTS (Continued)

Directions
■ **SHAKE VIGOROUSLY TO SUSPEND CHARCOAL BEFORE USE.** ■ Remove foil seal underneath cap and replace cap. ■ Cut off delivery tip of bottle 3/4 inch from end for drinking. ■ Administer entire 240 mL if possible. ■ Repeat dose immediately with Insta-Char Aqueous base product if possible. ■ If previous attempts to contact a poison control center, emergency medical facility, or health professional were unsuccessful, continue trying. ■ Keep patient active and moving. ■ Save the container of poison.

Age	Dose
Adults and children 12 years and over and weighing at least 32 kg (71 lbs.)	50 - 100 g (1-2 adult bottles) or 1-2 g per kg of body weight. If a second bottle is recommended, the additional bottle should be Insta-Char in an Aqueous Base unless otherwise directed by a physician.

Inactive Ingredients citric acid, glycerin, propylene glycol, purified water, sucrose

Questions? 888-655-1505

0 66689 20108 4

No Varnish Area

Distributed by:
VistaPharm, Inc.
Largo, FL 33771

INSTA-CHAR AQUEOUS

poison treatment adsorbent suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66689-201	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
ACTIVATED CHARCOAL (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10)		ACTIVATED CHARCOAL	50 g in 240 mL	
Inactive Ingredients				
Ingredient Name			Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
GLYCERIN (UNII: PDC6A3C0OX)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
SUCROSE (UNII: C151H8M554)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66689-201-08	240 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/03/2006	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC monograph not final	part357		10/03/2006	

Labeler - VISTAPHARM INC (116743084)

Registrant - DSC Laboratories Inc. (097807374)

Establishment			
Name	Address	ID/FEI	Business Operations
DSC Laboratories Inc.		097807374	manufacture(66689-201)